

**CLAIM AMENDMENTS**

1. (Previously presented) A solid glass composite matrix comprising glass granules and a binder resin which has been cured and which binds the glass granules into a solid composite, wherein the solid glass composite matrix comprises more than 60% w/w of glass granules,

wherein the glass composite matrix comprises glass granules of grain size of 4mm-6mm.

2. (Currently Amended) A solid glass composite matrix ~~according to claim 1,~~

comprising glass granules and a binder resin which has been cured and which binds the glass granules into a solid composite, wherein the solid glass composite matrix comprises more than 60% w/w of glass granules,

wherein the glass composite matrix comprises glass granules of grain size of 4mm-6mm

which further comprises bulking sources selected from the group consisting of sand, silica, bauxite and flint.

3. (Canceled).

4. (Previously Presented) A solid glass composite matrix according to claim 1, wherein the glass granules are derived from waste glass.

5. (Currently Amended) A solid glass composite matrix ~~according to claim 1,~~  
comprising glass granules and a binder resin which has been cured and which binds the glass granules into a solid composite, wherein the solid glass composite matrix comprises more than 60% w/w of glass granules,

wherein the glass composite matrix comprises glass granules of grain size of 4mm-6mm and

which further comprises glass granules in the matrix which have a grain size substantially between 0.0mm and 20.0mm.

6. (Previously presented) A solid glass composite matrix according to claim 1, wherein at least 50% w/w of the glass composite matrix further comprises glass granules of grain size between 0mm-6mm.

7. (Previously presented) A solid glass composite matrix according to claim 1, wherein at least 10% w/w of the glass composite matrix comprises glass granules of grain size between 0mm-4mm.

8. (Currently Amended) A solid glass composite matrix according to claim 1, wherein at least 10% w/w of the glass composite matrix comprises glass granules of grain size of 4mm-6mm.

9. (Previously Presented) A solid glass composite matrix according to claim 1, wherein granules between 6-10mm are present at a level less than 50% w/w.

10. (Previously Presented) A solid glass composite matrix according to claim 1, wherein the binder resin comprises between 5% w/w and 20% w/w of the composite matrix.

11. (Currently amended) A solid glass composite matrix ~~according to claim 1,~~  
comprising glass granules and a binder resin which has been cured and which binds the glass granules into a solid composite, wherein the solid glass composite matrix comprises more than 60% w/w of glass granules,

wherein the glass composite matrix comprises glass granules of grain size of 4mm-6mm and

wherein a coupling agent is present in the composite, to couple the glass and resin components together during setting of the composite.

12. (Currently amended) A solid glass composite matrix ~~according to claim 1,~~  
comprising glass granules and a binder resin which has been cured and which binds the glass  
granules into a solid composite, wherein the solid glass composite matrix comprises more  
than 60% w/w of glass granules,

wherein the glass composite matrix comprises glass granules of grain size of  
4mm-6mm and

wherein a reactive diluent is added to suit viscosity requirements.

13. (Canceled).

14. (Previously Presented) A solid glass composite matrix according to claim 12,  
wherein the diluent is present at a level of 5-30% of the pre-cured resin.

15. (Previously Presented) A solid glass composite matrix according to claim 11,  
wherein the coupling agent is present in the pre-cured resin at a level of 0.1-4.0% w/w.

16. (Previously Presented) A solid glass composite matrix according to claim 11,  
wherein the ratio of glass granules to binder resin and coupling agent is in the range of 6:1 to  
3:1.

17. (Previously presented) A method of producing a glass composite comprising the steps of:

contacting an aggregate of glass granules of average grain size between 0mm and less than 10mm with a binder resin,

mixing the granules into the un-set resin, and

allowing the resin to set so that the resin sets the granules into a solid composite matrix.

18. (Previously Presented) A solid glass composite matrix according to claim 1, wherein the glass granules for screening applications have lead or barium or combined lead/barium levels of at least 3% by weight.

19. (Previously Presented) A solid glass composite matrix according to claim 18, wherein the lead or barium levels or combined lead/barium levels for such applications are in the range 10-70% by weight in the glass granules.

20-26 (Cancelled)

27. (New) The solid glass composite matrix of Claim 1 wherein the glass granules comprise between 65% and 85%w/w of the composite matrix.

28. (New) The solid glass composite matrix of Claim 1 which has a ratio of glass granules to binder resin and a coupling agent which is in the range of 6:1 to 3:1.

29. (New) The solid glass composite matrix of Claim 1 wherein the binder resin is a cured resin selected from the group consisting of epoxy resins, polyurethane binders, unsaturated polyester binders and poly C<sub>1</sub>-C<sub>2</sub> alkyl methacrylate binders.

30. (New) The solid glass composite matrix of Claim 1 which has a binder resin which is an epoxy resin.

31. (New) The method of Claim 17 where the binder resin is admixed with a coupling agent which is effective to couple the glass and resin components together by chemical reaction.

32. (New) A solid glass composite matrix comprising glass granules and a binder resin which has been cured, and binds the glass granules into a solid composite,

wherein said binder resin further comprises a reactive diluent which is added to control viscosity; and

wherein the reactive diluent is selected from the group consisting of mono-functional 1 aliphatic glycidyl ethers, di-functional 1 aliphatic glycidyl ethers, mono-functional cycloaliphatic ethers, di-functional cycloaliphatic glycidyl ethers, mono-functional 1 aliphatic glycidyl esters, di-functional 1 aliphatic glycidyl esters, mono-functional cycloaliphatic glycidyl esters, and di-functional cycloaliphatic glycidyl esters.